FORM for B/W Chemistry use & replenishing

Name:	Date:	D96	D97	FIX	Small tank (8 meters)	Medium tank (15 meters)	Large tank (30 meters)	Is the DEV replenished? Please mention the amount	Is the FIX replenished? Please mention the amount	Remarks
example on how to fill the form: nan	2/4/2024	✔️		✔️	2 x			Yes 40ml	Yes 40ml	Example: replenisher almost finished
Nan Wang	2/4/2024	✔️		✔️		1		No	Yes 40ml	No more developer replenisher

	Developers and fix need to be replenished **after each use**. Replenishment rates are calculated by **the quantity of film processed**. **For reference:** Small tank can fit 8-10 meters of film: you need to replenish **125ml of developer** and **60ml of fix**. Medium tank can fit 15 meters of film: you need to replenish **250ml of developer** and **125ml of fix**. Large tank can fit 30 meters of film: you need to replenish **500ml of developer** and **250ml of fix**. For each meter of film: you need to replenish 16ml of developer and 8ml of fix. **Steps for replenishing:** 1. Take the replenisher developer/fix from the fridge. 2. Pour the required amount of replenisher developer/fix into a 2 litres' measuring cup. 3. Pour the used developer/fix into the 2 litres' measuring cup until it completes exactly 2 litres. 4. Put the leftover of developer/fix into the respective recycle chemistry container. 5. Label the replenishment date on the developer/fix bottles. 6. Make sure you fill in this form :) Note: if you don't feel comfortable replenishing chemistry by yourself, please come to the lab when Esther is available.									